




A BOOK OF
WUNDERLICH
SPECIALITIES

1934

WUNDERLICH LIMITED
MANUFACTURERS

Showrooms and Offices:

SYDNEY
Baptist St., Redfern

BRISBANE
Amelia St., Valley

HOBART
139 Macquarie St.

MELBOURNE
Hanna St., near Sturt St.,

PERTH
Lord & Short Sts.

LAUNCESTON
71 St. John's St.

ADELAIDE
Grote & Morphett Sts.

NEWCASTLE
King Street

A BOOK OF WUNDERLICH SPECIALITIES

INDEX

Modern Art Metal Ceiling Patterns	2
Modern Art Metal Ceilings	3
Metal Ceiling Accessories and Wall Linings	4
Ventilating Sheetting	5
Galvanised Brick and Rockface	6
Galvanised Exterior Sheetings	7
Galvanised Window Hoods	8
Hurricane Skylights	9
Ventilators and Louvres	10
Ventilating Ridging, Cowls and Inlets	11
Silhouette Weather Vanes	12
Finials, Vanes, etc.	13
No. 5 Glazing Bar	14
No. 6 Glazing Bar	15
Metal Letters	16
Nameplates and Advertising Devices	17
Terra Cotta Tile Roofs	18
Bricks and Brickettes	19
Terra Cotta Roofing Accessories and Chimney Pots	20
Terra Cotta Ventilators and Glazed Terra Cotta Sundries	21
Durabestos (Asbestos Cement) Sheetting	22
Duratile Wall Tile Sheetting	23
Stoneware Pipes	24

W U N D E R L I C H L I M I T E D

Manufacturers of

ART METAL CEILINGS, DURABESTOS (ASBESTOS-CEMENT) SHEETS
TERRA COTTA ROOFING TILES, SHOPFRONTS AND SHOWCASES
ARCHITECTURAL SHEET METAL WORK, ARCHITECTURAL TERRA COTTA
COLOURTEX BRICKS AND BRICKETTES, WUNDERGLAZE (Electro Copper) GLAZING

Administration:

BAPTIST STREET, REDFERN, SYDNEY, N.S.W.


Showrooms:

SYDNEY Baptist Street, Redfern	STH. MELBOURNE Hanna St., (near Sturt St.)	ADELAIDE Grote & Morphett Streets	BRISBANE Amelia Street, Valley
PERTH Lord and Short Streets	HOBART 139 Macquarie Street	LAUNCESTON 71 St. John Street	NEWCASTLE King Street


Catalogue G.83 — 1/1/34

W U N D E R L I C H L I M I T E D , M A N U F A C T U R E R S

MODERN ART METAL CEILING PATTERNS



Panelling No. 1682



Panelling No. 1684

The popular application of metal to modern interior decoration, and the present day vogue for geometrical design, have inspired these new ceiling patterns in Wunderlich Art Metal.

The crisp lines and angles combined with the flat surfaces produce delightful effects of light and shade that may still further be enhanced by the use of indirect lighting and colour decoration.


The illustrations show stock sized sheets 6ft. x 2ft. Two other new designs are shown on the opposite page in the form of complete ceilings.

Wunderlich Ceilings are easy to erect. Once fixed in position they never rot or fall and are fire retardant. They can be applied over faulty plaster or lining boards without disturbing the occupants and without dust or bother. When properly erected and painted they will last a lifetime without attention.

Send for our Catalogue M.81, containing perspective illustrations of a large range of complete ceilings which show their wide applicability to every form of interior decoration, or call at any of the Wunderlich Show-rooms and view model Ceilings in position.

W U N D E R L I C H L I M I T E D , M A N U F A C T U R E R S

MODERN ART METAL CEILINGS



Panelling No. 1683.

A Ceiling embodying a modern geometrical motif that is particularly suitable for awnings. It possesses an appeal to those who are completing a shopfront treatment of arresting design.





Panelling No. 1681.

The modern decorative note provided by the crisp planes and angles of this ceiling design reflects the trend of present-day interior embellishment.

W U N D E R L I C H L I M I T E D , M A N U F A C T U R E R S

METAL CEILING ACCESSORIES

STEEL MOULDINGS AND CORNICES




Supplied in lengths of 6ft. Illustrations represent 2ft.

STAMPED AND PERFORATED CENTREFLOWERS



No. 55—18in. dia.
Steel.




No. 89



No. 52—14in. dia.
Zinc.

This liberally perforated centreflower is available in four stock sizes, viz.:
 12in. Diam.—Zinc 24in. Diam.—Steel
 18in. Diam.—Steel 36in. Diam.—Galv. Steel

ART METAL WALL LININGS



No. 1423

Wunderlich Art Metal Wall Linings, when properly erected and decorated, provide a clean, permanent, washable wall. They do not require cover battens as the beaded edge of each sheet fits snugly over a similar edge on the next, thus forming a hidden joint.

Wunderlich Art Metal Wall Linings are available in a great variety of patterns either in paint primed, or galvanised, steel. Only two are here illustrated. No. 1423 is a design that may be used for any walling purpose, whilst No. 1591 is an imitation tile sheeting that is essentially suitable for lining the walls of Bathrooms, Kitchens, etc.

Write for illustrated Catalogue M.81, or call at any of the Wunderlich Showrooms where complete wall treatments may be seen.




No. 1591—Tile Pattern.

Supplied in sheets 6ft. x 2ft. Illustrations represent portions 2ft. x 2ft.

WUNDERLICH LIMITED, MANUFACTURERS

PERFORATED METAL SHEETINGS




Wunderlich Perforated Metal Sheetings provide an ideal ventilation for domestic dwellings. Residents in Australia, particularly those who experience excessively hot summer weather find that when ceilings are ventilated with perforated metal sheeting, a constant flow of fresh air through every room is assured. In addition their use provides adequate roof ventilation resulting in a cool air space between the ceiling and the roof.

Perforated metal sheetings are equally effective in Public Buildings, Halls, Banks, Stores, Hotels, Cafes, Butchers' Shops, etc., where ventilation is an essential. Their application includes treatments to beam casings, ceilings, top hampers, grilles, etc.


The illustration on the left shows a typical treatment to a beam casing for the purpose of ventilation.

Wunderlich Perforated Metal Sheetings are available in stock sized sheets of paint primed steel, galvanised steel and zinc. Manufactured also to order in either copper, bronze or brass if required. These may be obtained in a variety of beautiful finishes.


Write for further particulars, or call and see the Perforated Ventilating sheeting exhibit in all Wunderlich Showrooms.



No. 1367—Steel: Stock size, 6ft. x 2ft.
Also in Galvanised Steel: Stock size,
6ft. x 2ft.




No. 1590—Steel: Stock size, 6ft. x 2ft.
No. 1585—Zinc: Stock size, 3ft. x 2ft.



No. 1675—Zinc: Stock size, 3ft. x 2ft.
Illustrations above show portions
2ft. x 2ft.

W U N D E R L I C H L I M I T E D , M A N U F A C T U R E R S

GALVANISED BRICK AND ROCKFACE




The Walls of this home are lined with Wunderlich Imitation Rock-face Panels, painted and sanded to give the appearance of masonry.



No. 1147—Vermiculated Quoins, made in Galvanised Steel, and stocked in two sizes, viz., 1ft. 11½in. x 10½in. high, 11½in. x 10½in. high.

No. 1046—Brick Sheeting, stamped in Galvanised Steel, and stocked in sheets 6ft. x 3ft. (covering capacity, 5ft. 8½in. x 2ft. 11in.).

Wunderlich Bricksheeting and Rock-face panels are manufactured from galvanised steel, are fire resisting, weather and white ant proof, and cannot crack or warp. They are light in weight; and as they nest closely when packed, can be transported easily and cheaply. Any tradesman can fix them and when decorated they are indistinguishable from the material they represent.



No. 990 — Pilaster Sheets in Galvanised Steel.

No. 989—Imitation Rock-face, in Galvanised Steel.

SUPPLIED IN SHEETS—
1ft. 1½in. wide x 5ft. 3in.
high (6 blocks to the
sheet).


Stocked in various sizes, as under :—

5ft. 10in. wide x 10½in. high (3 blocks to a sheet); 1ft. 4in. wide x 10½in. high
3ft. 10½in. wide x 10½in. high (2 blocks to a sheet); 1ft. 2in. wide x 10½in. high
1ft. 11½in. wide x 10½in. high (1 block to a sheet); 1ft. 1in. wide x 10½in. high
1ft. 7½in. wide x 10½in. high (1 block to a sheet); 11½in. wide x 10½in. high

Bricksheeting No. 1046 is made to work in with Quoins No. 1147 and Rockface panels No. 989. Three courses of the Brick pattern coincide in height with a Rockface panel or Quoin Block.

W U N D E R L I C H L I M I T E D , M A N U F A C T U R E R S

GALVANISED EXTERIOR SHEETINGS



No. 1045—Rough-cast Sheetting.



No. 1504—Shingle Sheetting.



No. 1046—Brick Sheetting.

Illustrations above show portions 2ft. x 2ft.

Wunderlich Exterior Sheettings, Roughcast Shingle Brick and Fish-scale are manufactured in heavy gauge Galvanised Steel. They are inexpensive in initial cost, light in weight, economical to transport, and can be erected by inexperienced labour. Their application covers a wide field.

Roughcast and Brick Sheetting both demonstrate the utility of metal as a lining for the exterior of wood-frame buildings. Shingle and Fish-scale patterns also form an effective wall covering but their principal use is as a Roofing to small Turrets, Attics, etc.

Other applications of Galvanised Exterior Sheettings include the decorations of gables, treatments under Bay Windows and the lining of balcony fronts.

All the Patterns shown are stamped in Sheets 6ft. x 3ft., whilst in addition, Patterns Nos. 189 and 1045 are available in 6ft. x 2ft. sheets.

The covering capacity of each of the various 6ft. x 3ft. sheets is:—

- 1045—5ft. 8½in. x 2ft. 11in.
- 1504—5ft. 10in. x 2ft. 9in.
- 1046—5ft. 8½in. x 2ft. 11in.
- 190—5ft. 10½in. x 2ft. 9½in.
- 189—5ft. 11in. x 2ft. 10½in.
- 751—5ft. 10in. x 2ft. 8½in.



2½in. No. 190—Fish-scale Sheetting.




3½in. No. 189—Fish-scale Sheetting.



5½in.


No. 751—Fish-scale Sheetting.

Above illustrations represent portions 2ft. x 1ft.



Turret on Villa Roof, showing application of Fish-scale Sheetting, Hip Rolls, etc.

GALVANISED WINDOW HOODS




Special Hood built up to suit requirements.
Projection of Bracket, 16in.
Height of Bracket, 29in.

Window Hood, No. 1422, consists of two brackets and a fish-scale pattern hood; with the addition of a frieze (as illustrated) where desired for decorative purposes.


Window Hood, No. 1330, consists of two brackets and fish-scale hood sheeting.

A similar design, No. 1345, with brackets of the same height, but a projection of 23in., is also available.

Extreme rigidity is given to the fish-scale sheet by the rolled front edge.



No. 1422—Stock Length, 6ft.
Projection of Bracket, 28in.
Height of Bracket, 31in.



No. 1330—Stock Length, 6ft.
Projection of Bracket, 18½in.
Height of Bracket, 30in.

No. 1345—Also available similar in design and with the same depth of bracket; but a projection of 23in.

We forward Hoods in stock lengths of 6ft. If shorter Hoods are required simply snip off the surplus Hood sheeting and re-drill holes for bolts; or when ordering, advise us of the width of the window opening and we will cut to the required size before despatch.


The Window Hoods are fixed by means of screws through lugs which we attach to the rear flange of the brackets.

The Hood sheet has a plain turned-up flange at the back which forms a flashing against the wall.


Hoods longer than the stock size of 6ft., also special Hoods for Bay Windows, etc., are obtainable to order.

W U N D E R L I C H L I M I T E D , M A N U F A C T U R E R S

"HURRICANE" SKYLIGHTS



No. 1516—Unhinged (unventilated), fitted in a stock length of corrugated iron.
For stock sizes, see below.



No. 1515—Hinged (unventilated), fitted in a stock length of corrugated iron.
For stock sizes, see below.

Wunderlich "Hurricane" Skylights offer an inexpensive yet effective means of providing light and, if needed, ventilation in a roof.

Unhinged Skylight, No. 1516, is suitable for positions where light only is desired. Where ventilation is occasionally required, use Skylight No. 1515. The glazed portion is hinged to open.


Wunderlich "Hurricane" Skylights are strongly constructed of galvanised steel, are light in weight, thoroughly weatherproof, and easy to fix and glaze. They require no paint or putty, and as their construction provides an ample provision for expansion and contraction, the likelihood of the glass breaking is reduced to a minimum. The glass is held in position by strong metal clips.

Wunderlich "Hurricane" Skylights are supplied in the following stock sizes, the measurements given being "glass sizes":—


3ft. 6in. x 1ft. 6in.	3ft. x 2ft.
4ft. x 2ft.	4ft. x 3ft.

Special Skylights can be made to order.

All Skylights are supplied either ready for fitting to a sheet of corrugated iron, or fitted to a corrugated sheet of any desired stock length. Unless otherwise ordered, Skylights are supplied glazed with $\frac{3}{16}$ in. mill-rolled glass.



No. 1379—Unhinged (ventilated).



No. 1379—Hinged (ventilated).


Ventilating Skylight, No. 1379, is made hinged and also unhinged. Either type is suitable for use where both light and ventilation are permanently required.

The illustrations show Skylights ready for fitting to a sheet of corrugated iron.

Stock Skylights are suitable for corrugated iron roofs, but we can supply them to order, at an additional cost, for other roofs.


W U N D E R L I C H L I M I T E D , M A N U F A C T U R E R S

VENTILATORS AND LOUVRES



No. 1482—Open Vent.
Size : 9in. x 6in.
For internal walls.


Also available hit or miss
with knob No. 1480,
with swivel No. 1481




No. 1518—Open Vent.
Size : 9in. x 6in.
For internal walls.



No. 803—Open Vent.
Size : 9in. x 6in.
For internal walls.



No. 125—Open Vent.
Size : 9in. x 6in.
For internal walls.



No. 966 Open Vent.
Size : 9in. x 3in.
For internal walls.


Also available hit or miss
with knob No. 967,
with swivel No. 147

Nos. 1482 and 1518 are supplied ready
for use in Steel, painted White.


Nos. 803, 966, 830 and 125 in plain
Zinc, No. 142 in plain Galvanised
Steel, and Nos. 121 and 965 in plain
Cast Zinc.




No. 830 Open Vent.
Size 12in. x 6in.
For internal walls.



No. 142—Louvre.
Size : 9in. x 6in.
For external walls.



No. 121 Louvre.
Size : 9in. x 6in.
For external walls.



No. 965—Louvre.
Size : 9in. x 6in.
For external walls.

More elaborate Ventilators of Stainless Steel, Cast Bronze inlaid with vitreous enamels, Cast Brass, Silverite and other metals can be seen in our Showrooms.





Illustration showing the
construction of Louvred
Ventilating Panels, made to any size or design,
for the ventilation of Roofs, Towers, etc.



No. 482—Lunette in Embossed
Zinc, fitted with Louvred Vents.
Height, 2ft. 6in. ; width, 2ft. 4in.,
opening 14½in. x 11½in.

W U N D E R L I C H L I M I T E D , M A N U F A C T U R E R S

VENTILATING RIDGING, COWLS AND INLETS



No. 823—15in. wide. Stock lengths of 6ft.
Galvanised Ventilating Ridging.




No. 824—15in. wide. Stock lengths of 6ft.
Galvanised Ventilating Ridging




No. 815—Updraft Cowl
of Spun Zinc with gal-
vanised shaft.

Stock sizes : 3in. to 18in.
shaft.




No. 1517 Special Galvanised Patent
Ventilating Ridging.
Stock lengths, 6ft.



No. 1520 Galvanised Outlet Vent
with Baffle Plate and Weighted
Shutter.


Stock sizes :

9in. x 6½in.
12in. x 6½in.
14in. x 6½in.




No. 1523 — Galvanised
Roof Cowl.

Stock sizes : 4in. to 18in.
shaft.



No. 1519 Improved
Inlet Vent.
Size : 9in. x 6½in.



No. 1522 Galvanised Hood Vent,
fitted with fly wire. For use on
weatherboard external walls.
Size : 12in. x 4½in.



No. 1521 —Galvanised
Inlet Vent, with Hinged
or Fixed Hoppers.

Stock sizes :—

9in. x 6½in.
12in. x 6½in.
14in. x 6½in.


W U N D E R L I C H L I M I T E D . M A N U F A C T U R E R S

SILHOUETTE WEATHER VANES



Wunderlich Silhouette Weather Vanes are fabricated in heavy gauge sheet Copper, Bronze, Brass or Steel, left natural colour or brilliantly decorated, and are designed to fit over standard finials as shown on the opposite page. The Vanes are fitted with glass bearings on which they revolve.

Silhouette Weather Vanes are suitable for erection on Club-houses, Stores, Public Halls and Buildings, Hotels, Farm and Private Houses, etc., and may depict the nature of the profession or pastime associated with the building. Special designs prepared to suit individual demands.



In different parts of the world certain buildings are noted for their distinctive vanes, e.g.:

Guild Hall, Rochester (7ft. overall), 1687—designed by Wren.

Dragon on St. Mary-le-Bow, London.
The Grasshopper on the Corn Exchange
(11ft. overall), London.

The Ploughman on the Granary, in Kent.
The Spanish Galleon on Hudson's Villa, Rose Bay.


See the collection of Silhouette Weather Vanes in any of the Wunderlich Showrooms.

W U N D E R L I C H L I M I T E D , M A N U F A C T U R E R S

FINIALS, VANES, ETC.




No. 1336—Cross,
with Embossed Ornaments.
Made in Galvanised Iron and Zinc.
Height, 4ft. ; width, 30in.



No. 647—Galvanised Iron Scroll-end
Finial (double faced). Height, 11in.
Made to slip over ordinary Roll Ridge.



No. 265.
Height, 3ft. 3in.



No. 677.
Height, 22 1/4 in.
Width, 25 1/4 in.

Weather Vane
made to fit
stock Finials.



No. 262.
Height, 5ft. 2in.



No. 268.
Height, 2ft. 3in.



No. 514.
Height, 6ft. 9in.



No. 277.
Height, 1ft. 9in.




No. 274.
Height, 3ft. 3in.

Weather Vanes are fitted with bearings of two superimposed glass marbles that reduce friction to a minimum.

Examples of Spun Zinc or Copper Finials are to be seen in all Wunderlich Showrooms.

W U N D E R L I C H L I M I T E D , M A N U F A C T U R E R S

NO. 5 GLAZING BAR




No. 5 GLAZING BAR—
Consisting of $1\frac{1}{2}$ in. x $1\frac{1}{2}$ in. x $\frac{1}{2}$ in. Tee Iron, Zinc Undercapping,
and Zinc Top Capping.

No. 5 Glazing Bar is of sturdy construction, and is available in lengths up to 20ft., but the maximum safe span without intermediate support underneath, is about 6ft. The Bar comprises a painted mild steel tee section with zinc top and under capping. The capping is designed to counteract expansion and contraction caused by extremes of heat and cold, also vibration, consequently the risk of broken glass is reduced to a minimum.


Copper cappings are available, at additional cost.

The Glazing Bars are secured to ridge and wall plate by means of screws through the flanges of the tee iron. The glass is held in position by a footplate attached to the bottom end of each Bar. No. 5 Bar can be either "unstepped" (to suit a single sheet of glass) or "stepped" (for overlapping sheets of glass).

It is necessary that clients should state the exact length of Glazing Bar required, and at what distances, from top and bottom of the bars, screw holes for fixing are to be drilled.



No. 5 GLAZING BAR .
View of bottom end of bar,
showing footplate for hold-
ing glass in position.



View of Roof Light, showing the use of No. 5 Glazing Bar.

Wunderlich Glazing Bars are ideal for Roof Lights, Glass-houses, Studios, Sawtooth roofs, and in fact wherever the object in view is an abundance of roof light.


Wunderlich Glazing Bars form a weather-proof area for all time as their design and construction obviate the use of perishable caulking mediums, putty, etc.

Glazing Bars are on exhibit in all Wunderlich Showrooms.

W U N D E R L I C H L I M I T E D , M A N U F A C T U R E R S

NO. 6 GLAZING BAR

No. 6 Glazing Bar consisting of galvanised steel undercapping and zinc top capping.
View of top end.




Cast Brass fitting for top of Bar.


Cast Brass Top and Bottom fittings as illustrated are secured to each length. The lugs are drilled $\frac{1}{2}$ in. from the top and $3\frac{1}{2}$ in. from the bottom of the Bar to take screws for fixing to the Ridge or Wall plate. The vertical lug of the bottom fitting holds the glass in position.

When ordering, state the exact lengths of the Bars required.

No. 6 Glazing Bar is an economical Bar suitable for use without intermediate support, on areas where the span does not exceed 6ft. For larger areas No. 5 Glazing Bar should be used. No. 6 Bar comprises a strong galvanised steel undercapping, and a zinc top capping. The former is of sufficient rigidity to obviate the use of a Tee Iron Section.



No. 6 Glazing Bar.
View of bottom end.



Cast Brass Fitting with footplate and lugs for fixing.

Wunderlich Glazing Bars are a modern improvement on the old-fashioned wooden bars in glass Roof Construction.

They obviate the use of putty and other perishable caulking compounds and are weatherproof and fire resisting.

We gladly submit, free of cost, designs and estimates for complete installations to roof lights, glass-houses, etc.

WUNDERLICH LIMITED, MANUFACTURERS

METAL LETTERS FOR ADVERTISING AND DISPLAY



Recent innovations in the design of Metal Lettering for Advertising and Display are shown in the representative examples illustrated on the left. These Modern Letters are produced in metal by various methods. They may be built up or cut out of the solid, or cast or stamped. Metals of every description can be used ranging from galvanised steel or zinc—which are the least expensive—to copper, bronze, brass and nickel silver. Even more effective is the modern metal "stainless steel," which retains its high polish permanently.

Beautiful colour effects are obtained by polishing, lacquering, oxidising, etc., and the selection of any particular metal depends on the class of finish desired. These letters are available in virtually any design and size.

For further particulars, especially as regards Cast Bronze Enamelled Letters, send for our Catalogue, "Colour in Wunderlich Products."

BLOCK, ROMAN AND RENAISSANCE METAL LETTERS



No. 1297 Cast Block—Bronze or Brass
No. 1651 Cast Block—Zinc.
No. 1296—Built Block—Copper or Brass.
No. 375—Built Block—Zinc.



No. 1299—Cast Roman—Bronze or Brass.
No. 1652—Cast Roman—Zinc.
No. 1298—Built Roman—Copper or Brass.
No. 373—Built Roman—Zinc.



No. 1653—(Cast Renaissance—Bronze, Brass or Zinc.
(Built " Copper, Brass or Zinc.

The three period types of lettering illustrated, viz., Block, Roman and Renaissance, are available from stock either cast or built up from sheet metal. Sizes range from 6in. to 12in. high for cast letters (in the case of Renaissance 18in. high), and from 5in. to 24in. high for built letters. Numerals, Commas, Stops, etc., are stocked to suit all sizes.

These letters are supplied complete with requisite fastenings—rag bolts for fixing to brick, stone or concrete, clips or tabs for attaching to timber, and bolts and nuts for securing to metal fascias, stallboards, etc. Clients are requested to specify the fixings required. Also state if the faces of the letters are to be sand finished, emiered, polished, oxidised or verte patina finish.

Representative collections of metal letters are on view at all the Wunderlich Showrooms.

W U N D E R L I C H L I M I T E D . M A N U F A C T U R E R S

NAMEPLATES, ADVERTISING PLATES, ETC.



Incised Bronze Ivory Enamelled Nameplate. Size 13in. x 4½in.



Cast Bronze Enamelled Nameplate. Size 12in. x 3½in.




Cast Bronze Enamelled Letter Box Plate, centre hinged to open. Size 10½in. x 4½in.

Representative collections of Bronze Nameplates with fadeless colourful vitreous enamel infills are on view at all Wunderlich Showrooms.



No. 2114



No. 2115

House Nameplates Nos. 2114 and 2115.

For further particulars of Nameplates, send for our Catalogue, "Colour in Wunderlich Products."

Lettering hammered in copper or brass to suit particular requirements.





Bronze Nameplate, with incised letters, ceramic enamel filled. Size of plate : 18in. x 12in.

Designs of Nameplates gladly prepared on receipt of particulars.



Advertising Plate, with applied Stainless Steel lettering and surround. Size of plate : 22in. x 30in.

ADVERTISING DEVICES



No. 548—Embossed Zinc Shield (23in. x 20in.)


Advertising devices, display signs, plaques, trays, ashtrays, etc., are made to suit clients' requirements. They are stamped in sheet metal—steel, galvanised iron, zinc, copper, bronze and stainless steel, according to the finish desired. Stamped Shields and Heraldic Coats of Arms are available in stock sizes. Send for illustrated leaflet. Call and inspect examples of stamped metal work at any of the Wunderlich Showrooms.

WUNDERLICH LIMITED, MANUFACTURERS

TERRA COTTA ROOFING TILES

Wunderlich Terra Cotta Marseilles Roofing Tiles are available in a wide range of colours from shades of Red and Chocolate, Buff, Green, Blue, Golden Brown mottled and clinker to fireflashed effects and full glazes. They are to a marked degree resistant to the onslaughts of time and weather. Wunderlich Tiles increase the value of your investment, and in addition upkeep costs are nil.

At the Wunderlich Showrooms in each State, there are displays of Terra Cotta Tiles arranged on sample roofs. If unable to call and inspect them, send for our booklet, "Roofs of Tile."



Wunderlich Terra Cotta Shingle Tiles create an impression of roofing simplicity that renders them ideal for a dwelling set in spacious surroundings. The wide range of colours—Reds, Chocolate, Green, Blue, Golden Brown, either unglazed or glazed, offers an almost unlimited choice. Rusticated Shingles that combine the utility and colour of Terra Cotta with an atmosphere of rugged age, afford a new note in Roofing.




Wunderlich Terra Cotta Mission Tiles provide a roof of undulating beauty and radiant colour. Warm Reds, Golden Browns, deep Chocolates and various glazed effects may be blended into an infinite variety of colour schemes that appeal to the artistic sense.

Wunderlich Mission Tiles are correctly designed, perfectly made, and are in complete accord with the Spanish or Mission style of architecture.

Inspect sample roofs of Mission Tiles at every Wunderlich Showroom.

W U N D E R L I C H L I M I T E D , M A N U F A C T U R E R S

COLORTEX BRICKETTES



Wunderlich Colortex Brickettes are small wire-cut bricks specially made for fireplace construction, in sizes $6\frac{1}{2}$ in. x $1\frac{1}{4}$ in. x 3in. Full glazed, flashed and unglazed Brickettes are available in ordinary clay. Colours include, Red, Brown, Chocolate, Yellow, Orange, Purple and a variety of blends of Autumn Tints.

Fireclay Brickettes are made of heat-resisting clays in colours ranging from yellow to smoky brown.

Blue Prints, showing designs of Brickette Fireplaces, will be furnished on request.

Call and inspect displays of Brickettes at the nearest Wunderlich Showroom, or send for booklet containing illustrations printed in colours.

COLORTEX BRICKS

Wunderlich Colortex Bricks are Face Bricks with a variety of fine crimp, coarse crimp, wire-cut and rug-faced textures. They are available in a range of individual or blended colours, comprising Red, Brown, Yellow, Green, Purple and Autumn tints. The finish of the bricks varies from full glazed and flashed effect, to a dull matt surface.

Wunderlich Colortex Bricks are the modern facing bricks for Bungalows, Shop and Office Buildings, Garden Walls, etc. They combine the qualities of colour and texture usually associated with hand-made bricks. To gain the best effects lay with raked or sunk joints of coloured mortar.

Standard sizes of Colortex Bricks are 9in. x $4\frac{1}{2}$ in. x 3in., and 9in. x $4\frac{1}{2}$ in. x 2in.

Special moulded bricks for base and string courses, architraves, door jambs, etc., are available.

Call and inspect the display panels of Colortex Bricks at the nearest Wunderlich Showroom, or send for catalogue containing illustrations of bricks in colours.




WUNDERLICH LIMITED, MANUFACTURERS

TERRA COTTA ROOFING ACCESSORIES


Terra Cotta Roofing accessories are patterned to fit Wunderlich Tiles. They are made in standard colours of Red, Chocolate and Brown, with either unglazed or glazed finishes.



No. 6200.
M Ridge.



No. 6201.
Splay End.




No. 6202.
Shell End.



No. 6203.
Apex.



No. 6227.
Half Round Ridge.




No. 6228
Half Round Startor.



No. 6229.
Half Round Apex.



No. 6117.
Ball Top Finial.



No. 6104.
Ram's Horn Finial.



No. 6206.
O.G. Finial.



No. 6207.
Stump End Finial.

TERRA COTTA CHIMNEY POTS



No. 6196.
11in. high,
with hood, 16in.

No. 6192.



11in. high



No. 6191.
11in. high.



No. 6195.
17in. high.



No. 6246.
30in. high.



No. 6195a
22in. high,
including hood.



No. 6245.
25in. high,
including hood.




No. 6192a
16in. high,
including hood.


Wunderlich stock Terra Cotta Chimney Pots are available in two standard colours, viz., Red or Brown, with either unglazed or glazed finishes.

W U N D E R L I C H L I M I T E D , M A N U F A C T U R E R S


TERRA COTTA VENTILATORS, ETC.




No. 6217.
9in. x 6in.




No. 6218.
9in. x 3in.



No. 6221.
9in. x 3in.



No. 6216.
9in. x 6in.



No. 6219.
9in. x 6in.
with hood.

The standard colour of these accessories is red; but we can supply also in chocolate colour, or in glazed finishes.



No. 6222.
9in. x 6in.
with hood.



No. 6241.
Letter Box Brick,
9in. x 6in.

Terra Cotta Flooring Tiles are available in standard colours of Red and Chocolate. Border Tiles are also stocked.



Terra Cotta Flooring Tiles.
Stock sizes—6in. x 6in. x 8in. x 8in.

GLAZED TERRA COTTA SUNDRIES



No. 6502.
Garden Vase.
Height, 12½in.
Standard colour—Red.

No. 6543.
Gargoyle.
Standard Colour—Red.



For Bonding with
Brickwork.
Size: 6½in. x 6½in.



No. 6519.
Garden Vase.
Height, 11in.
Standard colour—Red
glazed.



No. 6533
Paterae.
9in. square, 1¼in. thick.



No. 6528.
Roundel.
21in. diameter, 4in. thick.
Polychrome finish.



No. 6534.
Paterae.
9in. square, 1¼in. thick.

Roundels, Paterae and Garden Vases are available in a variety of stock designs and colours. Send for particulars and illustrations, or visit the Wunderlich Showrooms where they are displayed.

DURABESTOS BUILDING SHEETS




"Durabestos" is a modern building sheeting made from asbestos fibre and Portland cement. It is the most economical, convenient and effective lining available to-day for all building purposes. "Durabestos" sheets do not flake, sag, rot, crumble or corrode and are proof against white ants and vermin. Apart from their use for exterior walls of homes of every description and for garages, stores, sheds, etc., "Durabestos" sheets are ideal for gable fillings, eave linings, balcony panels, interior walls, partitions and plain ceilings. Moreover, in most districts it is cheaper than timber. "Durabestos" is available in a wide variety of convenient sizes, ranging from lengths of 3ft. to 10ft. by widths of 3ft. and 4ft. Two standard thicknesses are in daily use, No. 2 ($\frac{3}{16}$ ths of an inch approximately), for exterior work, and No. 1 ($\frac{5}{32}$ nds of an inch approximately), for interiors and ceilings.

"Durabestos," despite its rigidity and toughness, can be cut and nailed like timber, is easily handled and quickly erected. The cutting is readily accomplished with an old saw. When the sheets are fixed to wall studs or ceiling joists, cover the joints with "Durabestos" cover battens and angle pieces; these are obtainable in lengths up to 10ft. and in widths of 2in., 2½in. and 3in.


"Durabestos" is supplied in its natural pleasing grey colour, and for interiors charming effects can be cheaply attained by panelling out the sheets with decorative wall paper, friezes and motifs. Being highly

weather-resisting, "Durabestos" need not be painted. However, colourful decorative treatments may be carried out at a minimum of cost, since "Durabestos" is not porous and will absorb less paint than timber linings or weatherboards.

For further information, send for our Catalogue, "Durabestos Homes of Colourful Beauty," which contains plans and designs of "Durabestos" Houses, and particulars of 127 ways in which "Durabestos" may be used for odd jobs about the home.




Durabestos is fixed to studs with special blunt-pointed nails.



Large stock sizes simplify the erection of Durabestos Walls.

W U N D E R L I C H L I M I T E D , M A N U F A C T U R E R S

DURATILE WALL TILE SHEETING




Duratile Walls — bright, colourful, hygienic, washable — in a modern bathroom.

"Duratile" is a sturdy asbestos cement sheeting figured to represent 4in. x 4in. square wall tiles. It has all the advantages of ceramic tiles but is much less expensive in price. It is supplied in stock sized sheets 3ft. and 4ft. wide by 4ft., 5ft., 6ft., 7ft. and 8ft. long. The surface is prepared ready for decoration by an exclusive chemical process; apply paint, enamel or lacquer in the usual way.

"Duratile" is the ideal lining for wood-framed walls of the bathroom, kitchen, laundry or scullery. When decorated it presents a colourful glistening washable and hygienic surface of permanence. An occasional cleansing with soap and water will keep the finish spotless and fresh. It is fire resisting, vermin proof and will not sag or flake.

In the country "Duratile" comes as a special boon, as it transports compactly, is lighter than tiles and can be handled without chipping; moreover, any tradesman can fix it.

To cut "Duratile," use an old saw. It may also be severed along the grooves by holding the sheet firmly on a flat bench with the surplus portion projecting. Steady arm pressure over this surplus will fracture the sheet.



"Duratile" may be nailed or it may be secured with countersunk screws, which make a perfect finish if the heads are cross slotted to line up with the grooves in the sheet.

Joints are made by butting the sheets and stopping with white lead. Sometimes a small wood or metal moulding is used to cover the joints. Where sheets meet at right angles the edge of one sheet is butted against the face of the other.

The illustration on the left shows two sheets fixed to battens that have been nailed to an old plastered wall. Examine the "Duratile" Exhibit at any of the Wunderlich Showrooms.

W U N D E R L I C H L I M I T E D , M A N U F A C T U R E R S


STONEWARE PIPES AND FITTINGS



Pipe.



Square Junction.




Slope Junction.



Double Square Junction.




Double Slope Junction.



Inspection Pipe.



Quarter Bend.
Also available $\frac{1}{8}$, $\frac{1}{4}$, $\frac{3}{8}$ bends,
and short bends for 4in. and
6in. pipes.



Inspection Bend.
Also available $\frac{1}{4}$, $\frac{1}{2}$, $\frac{3}{4}$ circle.
Either right or left hand.



Inspection Junction.
Right or left hand.



P. Trap, with inlet.



P. Trap.



Inspection Box.



Plain Gully.

SALT GLAZED STONEWARE PIPES AND FITTINGS

Wunderlich Salt Glazed Stoneware Pipes and Fittings are thoroughly tested for all Sewerage and Drainage purposes. They are perfectly smooth and faultlessly fitting. The pipes are available in standard sizes—4in., 6in., 9in. and 12in., in 2-ft. lengths; fittings are made to suit. A representative range of fittings is shown. Any other articles in Stoneware not illustrated can be seen at the Wunderlich Showrooms.

WEIGHT OF STONEWARE PIPES

Inside Diameter.	Approx. No. of Pipes Per Ton.			
4in.	..	..	..	107
6in.	..	..	..	60
9in.	..	..	..	34
12in.	..	..	..	22



Sinkstone.




DIAGRAM "A"
Plan diagram, showing available inlets and outlets.

WUNDERLICH LIMITED, MANUFACTURERS

